


SWIVEL-SEAL™ HOSE ENDS

HOSE & HOSE ENDS



Our Premium Hose End for rubber lined hose. Earl's invented the Swivel Seal™ Hose End in 1972 and it is still the most reliable and most widely sold swivel on the market.

Assembly instructions can be found on pg. 114

Hose end specifications can be found on pg. 130

Replacement sockets can be found on pg. 19



SWIVEL-SEAL hose ends are designed to be used with Earl's PERFORM-O-FLEX™, PRO-LITE 350™ and AUTO-FLEX™ braid-protected hose. Not intended for use on any other Earl's hose. Use with other manufacturers' hose is not recommended.

PART NO. STRAIGHT	HOSE END SIZE	USE HOSE SIZE	ADAPTER SIZE
800106ERL	6	6	6
800108ERL	8	8	8
800110ERL	10	10	10
800112ERL	12	12	12
800116ERL	16	16	16

STRAIGHT
8001__ERL



PART NO. 30° TUBE	HOSE END SIZE	USE HOSE SIZE	ADAPTER SIZE
803106ERL	6	6	6
803108ERL	8	8	8
803110ERL	10	10	10
803112ERL	12	12	12
803116ERL	16	16	16

30° TUBE
8031__ERL



PART NO. 45° LOW PROFILE	HOSE END SIZE	USE HOSE SIZE	ADAPTER SIZE
804506ERL	6	6	6
804508ERL	8	8	8
804510ERL	10	10	10
804512ERL	12	12	12
804516ERL	16	16	16

45° LOW PROFILE
8045__ERL



PART NO. 45° TUBE	HOSE END SIZE	USE HOSE SIZE	ADAPTER SIZE
804606ERL	6	6	6
804608ERL	8	8	8
804610ERL	10	10	10
804612ERL	12	12	12
804616ERL	16	16	16

45° TUBE
8046__ERL



SWIVEL-SEAL™ HOSE ENDS

HOSE & HOSE ENDS



60° TUBE
8061__ERL

PART NO. 60° TUBE	HOSE END SIZE	USE HOSE SIZE	ADAPTER SIZE
806106ERL	6	6	6
806108ERL	8	8	8
806110ERL	10	10	10
806112ERL	12	12	12
806116ERL	16	16	16



90° LOW PROFILE
8090__ERL

PART NO. 90° LOW PROFILE	HOSE END SIZE	USE HOSE SIZE	ADAPTER SIZE
809006ERL	6	6	6
809008ERL	8	8	8
809010ERL	10	10	10
809012ERL	12	12	12
809016ERL	16	16	16



90° TUBE
8091__ERL

PART NO. 90° TUBE	HOSE END SIZE	USE HOSE SIZE	ADAPTER SIZE
809106ERL	6	6	6
809108ERL	8	8	8
809110ERL	10	10	10
809112ERL	12	12	12
809116ERL	16	16	16



120° TUBE
8120__ERL

PART NO. 120° TUBE	HOSE END SIZE	USE HOSE SIZE	ADAPTER SIZE
812006ERL	6	6	6
812008ERL	8	8	8
812010ERL	10	10	10
812012ERL	12	12	12
812016ERL	16	16	16



150° TUBE
8150__ERL

PART NO. 150° TUBE	HOSE END SIZE	USE HOSE SIZE	ADAPTER SIZE
815006ERL	6	6	6
815008ERL	8	8	8
815010ERL	10	10	10
815012ERL	12	12	12
815016ERL	16	16	16



180° TUBE
8180__ERL

PART NO. 180° TUBE	HOSE END SIZE	USE HOSE SIZE	ADAPTER SIZE
818006ERL	6	6	6
818008ERL	8	8	8
818010ERL	10	10	10
818012ERL	12	12	12
818016ERL	16	16	16

SWIVEL-SEAL™ HOSE ENDS

DIRECT CONNECT

HOSE & HOSE ENDS

THIS UNIQUE LINE of hose ends has been developed to allow the hose end to be threaded directly into a female port without the bulk and complication of an adapter fitting. In all cases the coupler can be rotated independently of the hose end, this allows the coupler to be threaded into the part while the hose and hose end are held stationary. Both step-up and step-down coupler sizes are available as listed below.



MALE PIPE THREADS

MALE THREAD SIZE	USE HOSE SIZE	STRAIGHT PART NO.	45° PART NO.	90° PART NO.
1/8 NPT	6	820162ERL	824562ERL	829062ERL
1/4 NPT	6	820106ERL	824506ERL	829006ERL
3/8 NPT	6	820166ERL	824566ERL	829066ERL
3/8 NPT	8	820108ERL	824508ERL	829008ERL
1/2 NPT	8	820188ERL	824588ERL	829088ERL
3/8 NPT	10	820111ERL	824511ERL	829011ERL
1/2 NPT	10	820110ERL	824510ERL	829010ERL
1/2 NPT	12	820113ERL	824513ERL	829013ERL
3/4 NPT	12	820112ERL	824512ERL	829012ERL



MALE A.N. THREADS

MALE THREAD SIZE (AN)	USE HOSE SIZE	STRAIGHT PART NO. (FLARE / "O" RING)	45° PART NO. ("O" RING ONLY)	90° PART NO. ("O" RING ONLY)
7/16-20 (AN-4)	6	—	844564ERL	849064ERL
1/2-20 (AN-5)	6	—	844565ERL	849065ERL
9/16-18 (AN-6)	6	840106ERL	844506ERL	849006ERL
3/4-16 (AN-8)	6	—	844568ERL	849068ERL
9/16-18 (AN-6)	8	—	844586ERL	849086ERL
3/4-16 (AN-8)	8	840108ERL	844508ERL	849008ERL
7/8-14 (AN-10)	8	—	844581ERL	849081ERL
3/4-16 (AN-8)	10	—	844509ERL	849009ERL
7/8-14 (AN-10)	10	840110ERL	844510ERL	849010ERL
1 1/16-12 (AN-12)	10	—	844511ERL	849011ERL
7/8-14 (AN-10)	12	—	844513ERL	849013ERL
1 1/16-12 (AN-12)	12	840112ERL	844512ERL	849012ERL

Replacement O-rings pg.98